



## BEXOL HEAVY ULTRA 10W-40

<b>Description</b>	<p>A top quality fuel economy diesel engine oil based on the latest additive technology combined with very special base oils. This engine oil has the following properties:</p> <ul style="list-style-type: none"> <li>- a very powerful detergency prevents deposits in the engine</li> <li>- a very strong dispersion that prevents from precipitation and sludge</li> <li>- a powerful activity against wear, corrosion and foam</li> <li>- a high and stable viscosity index</li> <li>- a low sulphated ash number</li> <li>- prolonged oil drain intervals</li> <li>- a lower fuel consumption</li> </ul>	
<b>Application</b>	<p>This fuel saving lubricant has mainly been developed for heavy diesel engines even under the toughest operation conditions and all the year round. This product is very suitable for EURO 4 and EURO 5 engines without particlefilter and for most engines with exhaustgasemission systems. This engine oil is also developed to (in consideration of the official instructions) allow very long extended oil drain intervals and to prevent "bore-polishing".</p>	
<b>Performance Level</b>	<p>API CI-4            ACEA E4/E7            MB-Approval 228.5            MAN 3277            Meets the requirements of            Volvo VDS-3            Renault RXD/RLD-2            MTU III            Deutz III-05            Mack EO-M+            Cummins 20078            Global DHD-1            Detroit Diesel 93K215            CAT ECF-2</p>	
<b>Typicals</b>	<p>Density at 15 °C, kg/l            Viscosity -25 °C, mPa.s            Viscosity 40 °C, mm<sup>2</sup>/s            Viscosity 100 °C, mm<sup>2</sup>/s            Viscosity Index            Flash Point COC, °C            Pour Point, °C            Total Base Number, mgKOH/g            Sulphate Ash, %</p>	<p>0,866            6800            101,40            14,60            149            226            -39            12,6            1,48</p>